

FILLERS & PUTTIES | FIBERGLASS REPAIR | PRIMERS & CLEARS
TRUCK BED LINER | MASKING & ACCESSORIES | REPLACEMENT PRODUCTS

u.s. chemical & plastics
USC[®]



U.S. CHEMICAL & PLASTICS
PRODUCT CATALOG



U.S. CHEMICAL AND PLASTICS


From Body Repair to Performance Coatings, USC is the Collision Repair Expert. **Experience. Dependability. Performance.** With over six decades serving the automotive industry, U.S. Chemical & Plastics sets the standard for formulating and manufacturing high performance repair, refinish, appearance and accessory products. Professionals like you depend on us for quality and value in automotive fillers, putties, fiberglass repair, masking, paints, coatings, adhesives and more.

Commitment to Excellence. What sets us apart is our commitment to world-class research and development. Our chemists use the latest technologies and experience to improve existing formulations and develop new ones for both domestic and international markets. From R&D and manufacturing to distribution and service, we are constantly developing new, innovative ways to exceed customer requirements and meet ever-changing market needs. And since we are 100 percent employee-owned, our associates have a personal stake in your satisfaction.

World-Class. Because we are a subsidiary of Alco Industries, a consortium of manufacturing companies, we are able to combine the resources of a large company with the personalized service of a small one. With distribution outlets in over 60 countries, we are the “first choice” for many body repair and refinishing operations around the world.



TABLE OF CONTENTS



001

BODY FILLERS
PG. 003-005



002

FINISHING & GLAZING PUTTY
PG. 006



003

HARDENERS & ADDITIVES
PG. 007



004

FIBERGLASS REPAIR
PG. 008



005

MASKING
PG. 009-010



006

ACCESSORY ITEMS
PG. 011-012



007

REFINISHING PRODUCTS
PG. 015-020



008

TRUCK BED LINER
PG. 021-022

TF: 1.800.321.0672 | P: 330.830.6000 | F: 330.830.6005 | www.USChem.com

U.S. Chemical & Plastics Global Headquarters | 600 Nova Drive S.E. | Massillon, Ohio 44646 | U.S.A



PREMIUM BODY FILLERS

PRO-7™

- “PRO-7 Takes the Work Out of Body Work. Nothing Works or Sands Better.”
- USC’s most advanced technology; delivers ultra-smooth spreading, maximum adhesion to galvanized and is 100% stain free.
- Excellent sanding, featheredge and finishing without clogging.



Product Code	Size/Description	Units/Case	Wt/Case
16200	Gallon	4	34 lbs.
16201	3 Gallon Mechanical Pail	1	25 lbs.
16203	5 Gallon Mechanical Pail	1	38 lbs.
16204	5 Gallon Air Pail	1	38 lbs.

BASE COAT/ CLEAR COAT™ EXTRA

- Premium self-leveling lightweight filler that reduces the need for sanding.
- Excellent adhesion to galvanized, zinc-treated and aluminum surfaces.
- Smooth. Tack free. Superior stain free.



Product Code	Size/Description	Units/Case	Wt/Case
16060	Gallon	4	35 lbs.

BLUE ICE®

- Premium body filler that self levels to a “smooth as glass” surface and reduces sanding.
- All-weather formula that performs in any climate.
- Adhesion to galvanized metal. Tack free. Superior stain resistance.



Product Code	Size/Description	Units/Case	Wt/Case
16046	Gallon	2	16 lbs.

PRO-GOLD ES™


- Easy sanding. Excellent featheredge.
- Fills dents, dings, scratches, rust and hail damage with ease.
- Makes damaged surfaces look brand new.
- Stain resistant. Clog free. Tack free.



Product Code	Size/Description	Units/Case	Wt/Case
16400	Gallon	4	31 lbs.

BASE COAT/ CLEAR COAT™ (ORIGINAL)

- Premium lightweight filler with extra adhesion to galvanized, zinc-treated and aluminum surfaces.
- Smooth. Tack free. Stain free.



Product Code	Size/Description	Units/Case	Wt/Case
16060B	Gallon	4	35 lbs.
16063	3 Gallon Air Pail	2	48 lbs.
16065	5 Gallon Air Pail	1	43 lbs.
16066	3 Gallon Mechanical Pail	1	25 lbs.
16067	5 Gallon Mechanical Pail	1	42 lbs.

All USC premium fillers are stain resistant, tack free, clog free, self leveling and have superior adhesion properties.
All fillers come with cream hardener.

PREMIUM BODY FILLERS

Superior performance for all applications. With over six decades of expertise in the collision repair and restoration industry, USC is the ultimate choice for all types of body fillers. From our best-selling Duraglas® and new innovations in premium lightweights to fiberglass reinforced, metal and heavyweight fillers, we offer the products that provide smooth surfaces and excellent sanding characteristics every time.

LIGHTWEIGHT FILLERS



FUZION™

- “A Body Filler with Science on its Side.”
- Formulated with N-TEK technology for maximum adhesion to galvanized, steel, aluminum and all metals.
- Excellent sanding and featheredge.
- Stain Resistant. Tack free. Clog free.

Product Code	Size/Description	Units/Case	Wt/Case
16000	Gallon	4	31 lbs.
16001	3 Gallon Mechanical Pail	1	23 lbs.
16003	5 Gallon Air Pail	1	37 lbs.



KROMATE® LIGHT

- “Gold” tack-free lightweight filler.
- Smooth and creamy, soft-sanding formula that virtually eliminates pinholes.
- Tack free. Clog free.

Product Code	Size/Description	Units/Case	Wt/Case
12050	Gallon	4	35 lbs.
12060	Quart	6	16 lbs.
12080	5 Gallon Air Pail	1	43 lbs.



FEATHER-RITE®

- Best-selling lightweight filler with superb spreadability and workability.
- Smooth and creamy, soft-sanding formula that virtually eliminates pinholes.
- Tack free. Clog free.

Product Code	Size/Description	Units/Case	Wt/Case
21330	Gallon	4	31 lbs.
21333	3 Gallon Air Pail	2	48 lbs.
21335	Quart	6	12 lbs.
21350	5 Gallon Air Pail	1	37 lbs.
21351	5 Gallon Mechanical Pail	1	42 lbs.
21360	2 Gallon	1	16 lbs.



EASY WHITE LITE™

- The ‘original’ lightweight body filler; fills like a heavyweight and sands like a lightweight.
- Extra smooth and easy to apply.
- All-weather formula that performs in any climate.
- Non-sag. Tack free. Clog free.

Product Code	Size/Description	Units/Case	Wt/Case
10096	Gallon	4	36 lbs.



SPECIAL LITE™

- Lightweight body filler with a smooth texture.
- Easy to spread and sands to a fine featheredge.
- Non-sag formula is perfect for repairing vertical surfaces.
- Tack free. Clog free.
- Great value.

Product Code	Size/Description	Units/Case	Wt/Case
15310	Gallon	4	36 lbs.

All USC lightweight fillers are tack-free, non-clog and come with cream hardener.



SPECIALTY FILLERS

PRO-GLAS™

- Short-strand fiberglass reinforcement delivers strength and adhesion.
- Creamy, easy to spread and sand texture provides maximum workability.
- SMC approved. Rustproof. Waterproof.



Product Code	Size/Description	Units/Case	Wt/Case
25050	Gallon	4	45 lbs.
25055	Squat Quart	6	18 lbs.

LONG 'N STRONG™

- The super strong long-strand reinforcing compound.
- Restores and repairs with extra long strands of fiberglass for maximum bonding power and unparalleled strength.
- Ideal for use on large, rusted-out metal, cracked or shattered fiberglass.
- Rustproof. Waterproof.



Product Code	Size/Description	Units/Case	Wt/Case
23010	Gallon	2	25 lbs.
23020	Quart	6	19 lbs.

EASY WHITE™ HEAVYWEIGHT

- Heavyweight autobody filler with easy sanding and superior bonding.
- Formulated with high-quality polyester resins and ultra-fine talcs to spread smooth, set quickly and sand easily to a fine featheredge.



Product Code	Size/Description	Units/Case	Wt/Case
10010	Gallon	4	50 lbs.
10020	Quart	6	20 lbs.

DURAGLAS®

- The #1 short-strand fiberglass-filled body filler in the USA.
- Reinforced with short strand fiberglass for superior strength.
- Ideal for rust-outs, holes, tears and cracks on a variety of substrates.
- Use with fiberglass cloth for large repairs.
- Rustproof. Waterproof.



Product Code	Size/Description	Units/Case	Wt/Case
24030	Gallon	4	47 lbs.
24035	Squat Quart	6	19 lbs.

ALL-METAL®

- The "original" - the world's first aluminum-filled repair compound.
- Preferred filler for restoration work and classic car repairs; repairs metal with metal.
- Excellent adhesion to metals or wood. Can be drilled and tapped.
- Rustproof. Waterproof. Powder coat compatible.



Product Code	Size/Description	Units/Case	Wt/Case
14010	Gallon	2	22 lbs.
14060	Quart	6	18 lbs.

All specialty fillers come with hardener or activator.

FINISHING & GLAZING PUTTY

Excellent sanding, ultra-smooth finish. USC's self-leveling polyester finishing and glazing putties are formulated with the highest quality resins available, ensuring smooth application and the ultimate pinhole free finish. Whether you're looking for low viscosity, high viscosity, flexibility or last minute fixes, USC has a putty for the job.

FINISHING PUTTIES

PRO-GLAZE™



- Most advanced, maximum performance finishing and blending putty.
- Maximum adhesion, excellent workability and unbeatable sanding.
- Spreads smooth to penetrate minor imperfections and eliminate pinholes.
- Intermix with USC Premium Body Fillers.
- Stain free adhesion to galvanized.

Product Code	Size/Description	Units/Case	Wt/Case
26118	24 fl. oz. Tube	6	11 lbs.
26120	30 fl. oz. Pumpstainer	6	13 lbs.

ICING®



- Best-selling pourable, brushable polyester finishing putty.
- Ideal for small surface imperfections, hail damage, pinholes and sand scratches.
- Smooth spreading, self leveling and easy to sand.
- Intermix with USC Premium Body Fillers.
- Stain free adhesion to galvanized.

Product Code	Size/Description	Units/Case	Wt/Case
26006	24 fl. oz. Tube	6	12 lbs.
26011	30 fl. oz. Pumpstainer	6	13 lbs.

BLAZE GLAZE™



- Fastest curing finishing putty.
- Higher viscosity is ideal for refinishing vertical surfaces.
- Easy to apply and sand. Pinhole free. Stain free. Excellent adhesion to galvanized.
- Intermix with USC Premium Body Fillers.

Product Code	Size/Description	Units/Case	Wt/Case
26116	24 fl. oz. Tube	6	12 lbs.

PRO FLEX™



- Super-flowing polyester finishing putty formulated with Flexan.
- Excellent adhesion and flexibility; ideal on most flexible and rigid bumpers and plastic parts.

Product Code	Size/Description	Units/Case	Wt/Case
26037	30 fl. oz. Pumpstainer	6	13 lbs.

SPECIALTY & GLAZING PUTTIES

HALF TIME®



- Cut your repair time in half with Half-Time® One Step Filler and Glazing Putty; two products in one!
- Applies like a premium body filler and sands like a finishing putty.
- Adhesion to galvanized metal.

Product Code	Size/Description	Units/Case	Wt/Case
21000	1/2 Gal. Can (4 lbs)	2	10 lbs.
21002	24 fl. oz. Soft-squeeze Tube	6	14 lbs.
21004	2 lb. Squat Can	6	16 lbs.

SPLIT SECOND®



- Weighs 35% less than standard polyester putties.
- 'T-Spheres' deliver easy sanding. (Sands great next day!)
- Smooth and creamy for great spreading and featheredging.
- Adhesion to galvanized.

Product Code	Size/Description	Units/Case	Wt/Case
26020	1.2 lb. Squat Quart Can	6	12 lbs.

PRONTO™



- Little scratches. Tiny pinholes. You're ready to prime. "Uh oh! Somebody grab the Pronto!"
- European-Style 1K Air Dry Kombi Spot Putty that is ideal for last minute minor imperfections.
- High solids lacquer formula for excellent fill, sanding and minimal shrinking.

Product Code	Size/Description	Units/Case	Wt/Case
32046	5 oz.	12	5 lbs.

RED GLAZING PUTTY



- One-component, fast drying glazing putty.
- Best under lacquer, acrylic and synthetic finishes.
- Extremely fine texture; fills pinholes, scratches and dimples on primer and hardened plastic fillers.

Product Code	Size/Description	Units/Case	Wt/Case
32035	1 lb. Tube	12	13 lbs.

All finishing, specialty and glazing putties come with hardener (if applicable).



HARDENERS, ADDITIVES & DISPENSERS

CREAM HARDENER

Benzoyl Peroxide Paste

- Non-separating cream hardener formulated for use in premium, lightweight, heavyweight and specialty fillers as well as finishing and blending putty.
- Available in Red, Blue, White or Light Red.



Product Code	Size/Description	Units/Case	Wt/Case
Red Cream Hardener			
27007	2.75 oz.	12	2 lbs.
27010	4 oz.	12	3 lbs.
27020	1 oz.	24	2 lbs.
27110	4 oz. Bulk Pack	100	30 lbs.
27120	1 oz. Bulk Pack	250	20 lbs.
27170	2.75 oz. Bulk Pack	100	21 lbs.
Blue Cream Hardener			
27012	4 oz.	12	3 lbs.
27022	1 oz.	24	2 lbs.
27112	4 oz. Bulk Pack	100	30 lbs.
27122	1 oz. Bulk Pack	250	20 lbs.
27160	2.75 oz. Bulk Pack	100	21 lbs.
White Cream Hardener			
27014	4 oz.	12	3 lbs.
27024	1 oz.	24	2 lbs.
27114	4 oz. Bulk Pack	100	29 lbs.
27124	1 oz. Bulk Pack	250	20 lbs.
Light Red Cream Hardener			
27030	2.75 oz.	12	2 lbs.
27032	2.75 oz.	100	27 lbs.

LIQUID HARDENER

Methyl Ethyl Ketone Peroxide

- Fast-acting for a permanent bond in minutes.
- For the strongest bond possible, use with USC's Fiberglass Resin.



Product Code	Size/Description	Units/Case	Wt/Case
30010	2 oz.	6	1 lb.
30015	2 oz. Bulk	100	16 lbs.
30020	.5 oz.	24	1 lb.

ALL-METAL[®] REACTOR

- Specially formulated for use with USC's All-Metal[®] Aluminum Filled Repair Compound.



Product Code	Size/Description	Units/Case	Wt/Case
30040	2 oz.	6	1 lb.
30045	.5 oz.	24	1 lb.

SUPER CHARGER[™]

- Premium resin formula.
- Revitalizes dried premium fillers and polyester putties to reduce waste.
- Helps filler spread, featheredge and sand significantly easier.



Product Code	Size/Description	Units/Case	Wt/Case
40154	16 oz.	6	5 lbs.

PLASTIC THINNER "HONEY"

- Use to thin and revitalize body fillers.
- Restores spreadability and flexibility in just minutes.



Product Code	Size/Description	Units/Case	Wt/Case
40010	16 oz.	12	14 lbs.

BODY FILLER AIR DISPENSERS

- Easy to assemble and operate; hooks up to your existing air supply.
- Convenient dispensing valve measures out exact amount; eliminates waste and mess.
- Features a safety pressure valve and pre-set air regulator.



Product Code	Size/Description	Units/Case	Wt/Case
70000	5 Gallon	1	10 lbs.
70100	3 Gallon	1	14 lbs.

FIBERGLASS REPAIR PRODUCTS

Waterproof, strong and durable. U.S. Chemical & Plastics fiberglass repair products offer you a wide range of tools for the job at hand. From heavy, non-sag formulas that are perfect for fixing holes, tears, cracks and rust-outs, to fiberglass mat and cloth for custom creations, USC fiberglass products are versatile and hard working. Use them on a variety of surfaces for marine, automotive, industrial, recreational and household repairs.

FIBERGLASS REPAIR



ALL RESIN™

- One resin is all you need to repair fiberglass and SMC.
- Save up to 30% when compared to competitive SMC resin.
- Thick, non-sag formula.
- Fast curing. Tack free. Rustproof. Waterproof.
- Cream hardener included.

Product Code	Size/Description	Units/Case	Wt/Case
58215	Quart	6	16 lbs.
58220	Gallon	4	40 lbs.



FIBERGLASS RESIN GEL

with white cream hardener

- Quickly works into fiberglass cloth or mat to ensure a strong, professional repair.
- Easy-to-use gel formula eliminates running and sagging. Ideal for vertical surfaces.
- Fast curing. Tack free. Waterproof. Impact resistant.

Product Code	Size/Description	Units/Case	Wt/Case
58310	Gallon	4	42 lbs.
58320	Quart	6	17 lbs.



FIBERGLASS RESIN

with liquid hardener

- Thick resin formulation ideal for use with fiberglass mat or cloth.
- Better wetting and more flexibility; ideal for custom molding.
- Use with fiberglass mat or cloth to repair rust-outs, holes, tears and cracks.
- Fast curing. Tack free. Waterproof. Impact resistant.

Product Code	Size/Description	Units/Case	Wt/Case
58015	Quart	6	17 lbs.
58020	Gallon	4	42 lbs.
58021	5 Gallon Pail	1	42 lbs.



FIBERGLASS MAT

- 100% fiberglass composite ideal for repairing/restyling fiberglass.
- Flexible enough to repair contoured surfaces.
- Ideal on high-build repairing/restyling.
- Marine grade for superior waterproof repairs.

Product Code	Size/Description	Units/Case	Wt/Case
58045	32 sq. ft.	4	13 lbs.
58075	8 sq. ft.	6	3 lbs.



FIBERGLASS REPAIR KIT

Includes resin (quart), liquid hardener, spreader, mat or cloth and illustrated instructions.

- Ideal for professional automotive, marine, industrial and household repairs.
- Includes everything you need to repair fiberglass, metal or wood surfaces.
- Fast curing. Tack free. Waterproof. Impact resistant.

Product Code	Size/Description	Units/Case	Wt/Case
58005	Qt. FG Repair Kit - Mat	4	16 lbs.
58006	Qt. FG Repair Kit - Cloth	4	14 lbs.



FIBERGLASS CLOTH

- Premium 100% woven, flexible fiberglass cloth that easily 'wets out'.
- Superb for contoured surfaces where thickness is not needed.
- Bonds to most rigid surfaces.
- Marine grade for superior waterproof repairs.

Product Code	Size/Description	Units/Case	Wt/Case
58065	8 sq. ft.	6	2 lbs.



EXTERIOR - PLASTIC SHEETING

SHARK SKIN®



- Best-selling premium quality HDPE Plastic Sheeting.
- Ultimate cling "grabs the surface!"
- Excellent paint anchorage reduces flaking and airborne particles.
- Solvent resistant.

Product Code	Size/Description	Units/Case	Wt/Case
36112	12 ft. x 400 ft.	1 Roll	11 lbs.
36114	14 ft. x 350 ft..	1 Roll	11 lbs.
36115	16 ft. x 350 ft. (SUV)	1 Roll	11 lbs.
36117	20 ft. x 350 ft. (Heavy Truck & Marine)	1 Roll	13 lbs.

ECONOMICAL PLASTIC MASKING SHEETING



- A-fold construction for easy handling.
- Seamless film construction will not zipper.
- Quality sheeting at an economy price.

Product Code	Size/Description	Units/Case	Wt/Case
36123	12 ft. x 400 ft.	1 Roll	10 lbs.
36119	16 ft. x 350 ft.	1 Roll	10 lbs.

EXTERIOR - MASKING PAPER

POLYCOATED BLUE PREMIUM MASKING PAPER



- Tough, film-bonded paper stops penetration from urethane paints, waterborne basecoats, solvents and water.
- Blue color provides better natural light reflection in the booth.
- Wet sand without having to remask.
- Polyfilm coating provides paint anchorage and water-resistance.

Product Code	Size/Description	Units/Case	Wt/Case
38006	6 in. x 738 ft. Roll	6	24 lbs.
38012	12 in. x 738 ft. Roll	3	24 lbs.
38018	18 in. x 738 ft. Roll	2	24 lbs.
38024	24 in. x 738 ft. Roll	1	16 lbs.
38036	36 in. x 738 ft. Roll	1	24 lbs.

PREMIUM WHITE MASKING PAPER



- Smooth, lint-free finish that is bleed-through resistant.
- Flexibility allows easy masking around corners.
- Bright white color allows better view of color match.
- Premium performance at a competitive price.

Product Code	Size/Description	Units/Case	Wt/Case
37006	6 in. x 738 ft. Roll	6	21 lbs.
37012	12 in. x 738 ft. Roll	3	19 lbs.
37018	18 in. x 738 ft. Roll	2	19 lbs.
37036	36 in. x 738 ft. Roll	1	19 lbs.

MASKING PRODUCTS

Maximum protection, inside and out. As innovators, we've changed the face of masking with industry firsts. From Sharkskin® to blue polycoated paper and liquid masking, USC delivers masking products that save you time and money.

EXTERIOR - LIQUID MASKING



MAGIC MASK™ Professional Overspray Masking Liquid

- Easy-to-apply protective coating that sets to a dry, slight-tack film to trap dust and airborne particles.
- Water-based, VOC-free formula rinses off easily with water.

Product Code	Size/Description	Units/Case	Wt/Case
36135	Gallon	4	37 lbs.
36136	5 Gallon Pail	1	45 lbs.
36137	15 Gallon Drum	1	135 lbs.
36138	55 Gallon Drum	1	490 lbs.



PAINT BOOTH COATING

- Clear booth coating that protects paint booth walls from overspray.
- Maximum reflection with long term protection.
- No special equipment needed.
- Water-based, VOC-free formula rinses off easily with water.

Product Code	Size/Description	Units/Case	Wt/Case
36155	5 Gallon Pail	1	47 lbs.

SPECIALTY MASKING PRODUCTS



HANDY MASK™ Hand Masking Tape & Paper

- Perfect size to quickly and easily mask headlights, bumpers, and door jambs.

Product Code	Size/Description	Units/Case	Wt/Case
38081	Dispensers With 7 in. x 65 ft. Roll (12 Per Counter Display Box)	1 Box	5 lbs.
38082	7 in. x 65 ft. Refill Rolls (15 Per Counter Display Box)	1 Box	5 lbs.



SLIP-N-GRIP® Protective Seat Covers

- Protects seats from dirt and grease.
- Economical double layer protection.
- Individually folded for easy dispensing and use.

Product Code	Size/Description	Units/Case	Wt/Case
70509	125 Per Box	1 Box	7 lbs.



LATEX-REINFORCED FLOOR MATS

- Artwork features new paint finish care tips.
- Latex-reinforced blend absorbs better and is tougher than plain paper.
- Oversized for better protection of carpeting.

Product Code	Size/Description	Units/Case	Wt/Case
70508	250 Per Box	1 Box	6 lbs.



MASKING PAPER DISPENSER

- Convenient top-loading design allows quick and easy roll changes.
- Rugged steel tube frame constructed in the U.S.A.
- Sharp, longer-life cutting blades.
- Durable, powder-coated finish.

Product Code	Size/Description	Units/Case	Wt/Case
70500	Multi Roll Masker	1	21 lbs.



PLASTIC TIRE MASKERS

- UNIVERSAL HDPE TIRE SKINS (70510) are premium quality and sized to fit most SUVs and trucks.
- Economical SLIP-N-GRIP® (36093) maskers are ideal for standard sized vehicles.

Product Code	Size/Description	Units/Case	Wt/Case
70510	45 in. x 40 in. x 17 in. 50 Per Box	1 Box	4 lbs.
36093	33 in. x 14 in. x 24 in. 125 Per Box	1 Box	5 lbs.

ACCESSORY ITEMS

PAINTER'S PAILS™ & PAINTER'S PITCHER™

- U.S. and metric liquid measure and mix ratio markings easily visible from inside or outside.
- Tough, high-density, solvent-resistant polyethylene and sturdy sidewall construction provides durability and reusability.
- Made in the U.S.A.



Product/Code	Size/Description	Units/Case	Wt/Case
36169	2½ Qt. Painter's Pitcher	10	3 lbs.
36170	1 Pint Painter's Pail	100	6 lbs.
36171	Lid for 1 Pint Pail	300	5 lbs.
36174	1 Quart Painter's Pail	100	9 lbs.
36175	Lid for 1 Quart Pail	100	3 lbs.
36176	2½ Quart Painter's Pail	50	9 lbs.
36177	Lid for 2½ Quart Pail	50	4 lbs.
36178	5 Quart Painter's Pail	50	15 lbs.
36179	Lid for 5 Quart Pail	50	6 lbs.
36182	1/2 Pint Painter's Pail	300	7 lbs.
36183	Lid for 1/2 Pint Pail	300	3 lbs.

AUTO WRITER™

- Writes on steel, glass, aluminum, plastic, wood, rubber - virtually any surface.
- Fast-drying, vibrant ink in 5 colors. Packed 12 per box.



Product Code	Color	Units/Case	Wt/Case
37000	Assorted	12 Pens	2 lbs.
37001	Blue	12 Pens	2 lbs.
37002	Pink	12 Pens	2 lbs.
37003	Yellow	12 Pens	2 lbs.
37004	White	12 Pens	2 lbs.
37007	Green	12 Pens	2 lbs.
37008	Red	12 Pens	2 lbs.

RAZOR BLADES

- Quality single-edge blades made in the U.S.A.



Product Code	Size/Description	Units/Case	Wt/Case
36150	100 Pack	10	8 lbs.

APPLICATOR BOTTLE

- Convenient, plastic squeeze bottle.
- Ideal for dispensing smaller amounts of cleaners, compounds, etc.
- Made in the U.S.A.



Product Code	Size/Description	Units/Case	Wt/Case
40750	16 oz. bottle	12	2 lbs.

PLASTIC SPREADERS

- Extra flexible yellow spreaders have a sharp tapered edge for applying filler.
- Ample sturdiness for extra-tough filling jobs.



Product Code	Size/Description	Units/Case	Wt/Case
36039	1 Each Of 4 in., 5 in., & 6 in. (Bagged)	12	3 lbs.
36044	4 in. Pack	50	2 lbs.
36052	5 in. Bulk-packed	144	10 lbs.
36062	6 in. Bulk-packed	144	12 lbs.

CHEESEGRATER BLADES (ROUND)

- Rounded grater for filing and shaping body filler.
- Sturdy reusable metal construction.



Product Code	Size/Description	Units/Case	Wt/Case
80596	10 in. Round	72	9 lbs.

MIXING BOARD

- Special non-stick, non-absorbent plastic surface ideal for mixing body filler and putty.
- Easy to clean; just flex and wipe.



Product Code	Size/Description	Units/Case	Wt/Case
37005	Plastic Mixing Board 12 in. x 12 in.	24	11 lbs.

ACCESSORY PRODUCTS

Quality and selection that makes your job easier. Sometimes it's the little things that matter. USC offers a wide selection of automotive repair accessory products, including our best-selling Painter's Pails™, Autowriters™ and additives. Look no further than USC for all your automotive repair accessory needs.

ACCESSORY ITEMS

PROFESSIONAL PAINTABLE RUBBERIZED UNDERCOATING



- Superior protection against rust, corrosion, moisture and abrasion. Reduces road noise and vibrations. Paintable.
- Tough and durable. Ideal for use on wheel wells, rocker panels, underbodies and lower panels.

Product Code	Size/Description	Units/Case	Wt/Case
51030	18 oz. Aerosol	12	18 lbs.

UNDER COATING



- Tough, durable rubberized aerosol undercoating.
- Protects against rust and corrosion; reduces road noise.
- Long-lasting texturized surface.

Product Code	Size/Description	Units/Case	Wt/Case
51333	16 oz. Aerosol	12	15 lbs.

MULTI-PURPOSE PAINTER'S RAGS



- Premium, recycled, all cotton white cloth.
- Ideal for cleaning and polishing.

Product Code	Size/Description	Units/Case	Wt/Case
36185	10 lb Self-Dispensing Package (1 Per Box)	1	10 lbs.

SOUND CONTROL SHEETS



- 4 times the sound-dampening capabilities.
- Butyl rubber construction with aluminum facing.
- Peel and stick application. Excellent adhesion.
- No odors from off-gassing.

Product Code	Size/Description	Units/Case	Wt/Case
36163	.067 in. x 24 in. x 48 in. Sheet (1 Roll Per Box)	1	5 lbs.
36164	.067 in. x 10 in. x 10 in. Mat (6 Per Box)	6 Boxes	30 lbs.

MAGNUM BLUE™ AND IDEAL™ Tack Cloths



- Ultra-soft, anti-static, nonabrasive texture collects dust, dirt and lint like a magnet.
- Wax and silicone-free formula is safe for cleaning metal, fiberglass, wood and plastic surfaces.
- Use Magnum Blue™ for basecoat.

Product Code	Size/Description	Units/Case	Wt/Case
Ideal™ Tack Cloths			
60012	18 in. x 36 in. (Tan) Bulk-paks	144/Case	7 lbs.
60042	36 in. x 150 yards (Tan) Bulk-paks	1/Case	10 lbs.
60044	18 in. x 36 in. (Tan) Shop-paks	144/Case	7 lbs.
Magnum Blue™ Tack Cloths			
60075	18 in. x 36 in. Magnum Blue™ Tack Cloths	144/Case	6 lbs.

HANDY SPRAY™

Heavy Duty Pump Dispenser



- Use for quick and easy application of surface cleaners.
- Durable 'polyimid' construction with 'viton' seals and brass nozzle.

Product Code	Size/Description	Units/Case	Wt/Case
70305	0.75 Qt. Capacity	6	6 lbs.

HAND CLEANER



- Safely removes paints, urethanes, body fillers, grease, enamels and adhesives.
- Non-toxic, nonflammable and biodegradable.
- Fresh scent, pumice formula with conditioners: aloe, lanolin, jojoba and Vitamin E.

Product Code	Size/Description	Units/Case	Wt/Case
60687	60 oz. Pump Bottle	4	18 lbs.

INDUSTRIAL LATEX GLOVES



- Cotton-lined rubber with diamond-molded texture grip.
- Excellent wear and anti-slip grip is ideal for painting.

Product Code	Size/Description	Units/Case	Wt/Case
51105	Large	12 Gloves	2 lbs.
51110	X-Large	12 Gloves	2 lbs.

U.S. CHEMICAL & PLASTICS

QUALITY

We don't just have our reputation to uphold; we have yours to uphold as well. You can count on our body repair, masking, accessory and refinishing products to provide you with the outstanding quality you demand. Using rigorous quality control methods, we've delivered premium products to satisfied customers around the world for more than half a century. Our warranty offers you additional peace of mind.

INNOVATION

Our aggressive pursuit of new technology begins with our in-house development and continues as we span the globe for innovative ideas to apply to both new and existing formulations. We are always working on something new, both individually and collaboratively with our trusted vendors. In addition, our lab technicians are chemists by trade, but inventors at heart. We're constantly looking for better ways to do things.

SERVICE

Everyone says it, but we mean it; we put our customers first. We are more than just a supplier. We are an essential partner in the success of your business. Our professional, helpful and dedicated employees have your best interest in mind and we are prepared to go the extra mile.

RESPONSIBILITY

Our conduct demonstrates a deep concern for ethics, citizenship, safety, health, and protecting our environment.

STATE-OF-THE-ART

USC's global headquarters redefines industry standards in manufacturing, quality control and technical training. We recently completed major renovations at our locations in the UK and U.S. Our Technical Training Center boasts 4,500 sq. ft. of integrated, hands-on training and classrooms with the most advanced spray and audio-video equipment.



FILLERS & PUTTIES | FIBERGLASS REPAIR | PRIMERS & CLEARS
TRUCK BED LINER | MASKING & ACCESSORIES | REPLACEMENT PRODUCTS



Photo Courtesy of I-CAR



PRIMERS - USC

1K ACRYLIC PRIMER

- High quality acrylic lacquer primer with excellent adhesion and high build.
- Use on any size repair. Easy to mix and apply.
- Fast drying and sands to a fine featheredge.
- National Rule Compliant.



Product Code	Size/Description	Units/Case	Wt/Case
2250-1	Gallon / Gray Primer	4	47 lbs.

DTM PRIMER 2.1 VOC

- Excellent adhesion and corrosion protection for direct to metal applications.
- Delivers good build, fill and sanding properties. Fast drying.
- Use under solvent and waterborne topcoats.
- 4:1 mix ratio.
- Low 2.1 VOC



Product Code	Size/Description	Units/Case	Wt/Case
2520-1	Gallon / Gray Primer	4	51 lbs.
2515-4	Quart / Activator	6	18 lbs.

2.1 VOC 2K URETHANE PRIMER

- Premium formulation that provides good fill, build and sanding.
- Delivers a smooth finish with good color holdout.
- Use under solvent and waterborne topcoats.
- 2-component, 4:1 mix ratio.
- Low 2.1 VOC.



Product Code	Size/Description	Units/Case	Wt/Case
2720-1	Gallon / Gray Primer	4	49 lbs.
2715-4	Quart / Activator	6	19 lbs.

EASYWORK EPOXY PRIMER/SURFACER

Gray-Green

- Superior adhesion to properly prepared steel, aluminum, galvanized fiberglass, SMC, ABS, polycarbonate and body fillers.
- Provides excellent corrosion resistance, fill and build.
- 2-component, 1:1 mix ratio. Gray-green color.
- National Rule Compliant.



Product Code	Size/Description	Units/Case	Wt/Case
2325-1	Gallon / Primer	4	40 lbs.
2375-1	Gallon / Catalyst	4	33 lbs.

EASYWORK 2K URETHANE PRIMER

- Premium 2K Urethane Primer that delivers high-build, easy sanding and good color holdout.
- Built-in corrosion inhibitors eliminate the need for precoats.
- Air-dry to sand time: 1 - 1½ hours.
- National Rule Compliant. Mix Ratio 4:1.




Product Code	Size/Description	Units/Case	Wt/Case
2620-1	Gallon / Gray Primer	4	46 lbs.
2620-4	Quart / Gray Primer	6	15 lbs.
2615-4	Quart / Activator	12	30 lbs.
2615-12	½ Pint / Activator	12	15 lbs.

REFINISHING PRODUCTS

Perfect start to perfect finish. Choose from a wide variety of proven USC and Morton primers that offer excellent adhesion, high build, easy sanding and color holdout. Looking for a premium clearcoat at a competitive price? USC clearcoats are made from premium ingredients, offering excellent flow out and leveling for a high gloss, durable finish.

PRIMERS - MORTON

ELIMINATOR HB POLYESTER PRIMER



- Low 2.1 VOC, high-solids, premium polyester primer surfacer.
- Versatility allows use on a variety of substrates.
- High fill and build for fast coverage. Easy to sand.
- Includes hardener.

Product Code	Size/Description	Units/Case	Wt/Case
300-1	Gallon / Gray Primer	4	45 lbs.
300-4	Quart / Gray Primer	6	18 lbs.

IMPACT FLEXIBLE PRIMER/SURFACER



- High solids, versatile, 1K acrylic impact flexible primer/surfacer that delivers unsurpassed flexibility.
- Ideal for use on all types of plastics; flexible and impact resistant.
- Fast dry. Easy sanding.
- National Rule Compliant.

Product Code	Size/Description	Units/Case	Wt/Case
201-4	Quart / Satin Black	6	13 lbs.
201-1	Gallon / Satin Black	4	35 lbs.
201-13	Aerosol / Satin Black	6	7 lbs.
204-4	Quart / Light Gray	6	13 lbs.

CLEARCOATS

10 UNIVERSAL URETHANE CLEARCOAT 4.2 VOC



- Offers excellent performance and appearance at an economical price.
- Flows out to a smooth, durable finish with excellent gloss.
- Ideal for spot, panel, multi-panel and overall refinishing.
- National Rule Compliant. Mix Ratio 4:1.

Product Code	Size/Description	Units/Case	Wt/Case
10-1	Gallon / Clearcoat	4	35 lbs.
12-4	Quart / Fast Activator	6	15 lbs.
14-4	Quart / Medium Activator	6	16 lbs.

40 GLAMOUR URETHANE CLEARCOAT 4.2 VOC



- Premium glamour clearcoat that offers the ultimate in performance, durability and appearance.
- Use on panel, multi-panel and overall refinishing.
- Two coat coverage with a beautiful high gloss finish.
- National Rule Compliant. Mix Ratio 4:1.

Product Code	Size/Description	Units/Case	Wt/Case
40-1	Gallon / Clearcoat	4	36 lbs.
42-4	Quart / Fast Activator	6	17 lbs.
43-4	Quart / Medium Activator	6	17 lbs.
44-4	Quart / Slow Activator	6	16 lbs.

20 GLAMOUR CLEARCOAT 2.1 VOC



- Premium Low 2.1 VOC clearcoat that offers the best in performance and appearance.
- Ideal for spot, panel, multi-panel and overall refinishing.
- Easy to apply and levels to a smooth, high gloss finish.
- Mix Ratio 4:1.

Product Code	Size/Description	Units/Case	Wt/Case
20-1	Gallon / Clearcoat	4	37 lbs.
20-4	Quart / Clearcoat	6	15 lbs.
22-4	Quart / Fast Activator	6	17 lbs.
22-12	1/2 Pint / Fast Activator	12	9 lbs.
23-4	Quart / Medium Activator	6	17 lbs.
23-12	1/2 Pint / Medium Activator	12	9 lbs.
24-4	Quart / Slow Activator	6	17 lbs.
24-12	1/2 Pint / Slow Activator	12	9 lbs.

50 PRODUCTION URETHANE CLEARCOAT 4.2 VOC



- High performance clearcoat ideal for spot, panel and multi-panel repairs.
- Easy to apply; excellent flowout and leveling.
- Two coat coverage and fast dry times increase productivity.
- High gloss and DOI.
- National Rule Compliant. Mix Ratio 4:1.

Product Code	Size/Description	Units/Case	Wt/Case
50-1	Gallon / Clearcoat	4	35 lbs.
52-4	Quart / Fast Activator	6	16 lbs.
53-4	Quart / Medium Activator	6	16 lbs.
54-4	Quart / Slow Activator	6	16 lbs.



CLEANERS & STRIPPERS

PAINT STRIPPER

- Fast, aggressive formula removes tough urethane or baked enamel coatings on most automotive, commercial and industrial finishes.
- Safe for all metals; non-corrosive under normal exposure times.



Product Code	Size/Description	Units/Case	Wt/Case
495-1	Gallon	4	45 lbs.

WAX, GREASE, & SILICONE REMOVER

- Ready to use, easy-on / easy-off formula dissolves wax, grease, oil, silicone, tar, road film, and other contaminants.
- Ideal for pre-cleaning and pre-paint final cleaning.



Product Code	Size/Description	Units/Case	Wt/Case
1240-1	Gallon	4	28 lbs.

HARDENERS & REDUCERS

SYNTHETIC ENAMEL HARDENER

- Compatible, high quality hardener that provides a durable, high gloss finish when mixed with synthetic enamels.



Product Code	Size/Description	Units/Case	Wt/Case
65-8	Pint	12	18 lbs.

URETHANE REDUCER FAST

- Fast reducer formulated for use in urethane products, like clears and primers, requiring a urethane grade solvent.



Product Code	Size/Description	Units/Case	Wt/Case
2655-1	Gallon / Fast	4	30 lbs.

REFINISHING PRODUCTS

Cost effective, high quality alternatives. USC offers a comprehensive line of hardeners, thinners, specialty and replacement products that help shops control rising material costs. Convenient and effective, these products perform to the standards you have come to expect.

SPECIALTY PRODUCTS

TEXTURED BUMPER COATER



- High solids, fast drying, black acrylic textured bumper coating.
- Refinish plastic and metal bumpers and trim components to match OEM appearance.
- National Rule Compliant.

Product Code	Size/Description	Units/Case	Wt/Case
206-13	Aerosol / Satin Black	6	7 lbs.
206-4	Quart / Satin Black	6	13 lbs.

BUMPER & TRIM COATER



- High solids, fast drying acrylic bumper and trim paint available in satin and gloss finish.
- Refinish plastic and metal bumpers and trim components to match OEM appearance.
- National Rule Compliant.

Product Code	Size/Description	Units/Case	Wt/Case
220-13	Aerosol / Satin Black	6	7 lbs.
220-4	Quart / Satin Black	6	15 lbs.
230-13	Aerosol / Gloss Black	6	7 lbs.
230-4	Quart / Gloss Black	6	15 lbs.

TAPE-IT™



- Easy-to-apply, wipe-on formula prepares weatherstripping for masking.
- Allows masking tape to adhere readily, yet pull off easily when job is done.
- Will not contaminate surrounding painted surfaces.

Product Code	Size/Description	Units/Case	Wt/Case
700-4	Quart	6	12 lbs.

BLACK GUIDE COAT SANDABLE PRIMER



- Ideal for highlighting surface imperfections.
- Fast drying and easy to sand.
- Convenient aerosol is quick and easy to use.
- Wet or dry sand.
- National Rule Compliant.

Product Code	Size/Description	Units/Case	Wt/Case
214-13	Aerosol / Dark Gray	6	6 lbs.

OMI-CRON

OMI-CRON® EUROPEAN FINISHES

OMI-CRON® 7200 CLEAR (2.1 VOC)



- European Low VOC technology. Ultimate appearance and performance. Maximum output.
- Tough, durable Low 2.1 VOC European clearcoat that is ideal for spot, panel, multi-panel and overall refinishing.
- Advanced Euro-technology for excellent flowout and leveling, fast dry and great gloss from the gun.
- Mix Ratio: 2 to 1.

Product Code	Size/Description	Units/Case	Wt/Case
7200-5	5L / Clearcoat	2	26 lbs.
7205-25	2.5L / Fast Activator	4	30 lbs.
7215-25	2.5L / Normal Activator	4	30 lbs.
7225-25	2.5L / Slow Activator	4	30 lbs.

OMI-CRON® 7300 CLEAR (4.2 VOC)



- European technology. Ultimate appearance and performance. Maximum output.
- Advanced European clearcoat designed to maximize speed and output.
- Excellent flow and leveling. Great gloss from the gun reduces buffing.
- High build with quick coverage.
- Versatile clear for spot repairs and overall refinishing.
- Mix Ratio: 2 to 1.
- National Rule Compliant.

Product Code	Size/Description	Units/Case	Wt/Case
7300-5	5L / Clearcoat	2	25 lbs.
7305-25	2.5L / Fast Activator	4	25 lbs.
7315-25	2.5L / Normal Activator	4	25 lbs.
7325-25	2.5L / Slow Activator	4	25 lbs.

All Refinish Products Are Not Created Equal - Choose Omi-Cron® Binders, Balancers and Tints

Omi-Cron binders, balancers and tints are formulated from the highest quality resins and are designed to be used with specific major automotive refinishing mixing systems. Through careful analysis, we formulated and manufacture Omi-Cron to exacting specifications. These premium products offer savings to the shops without sacrificing quality.



REFINISHING PRODUCTS

True European Technology. While some refinishing products 'claim' to be European or simply 'look' European, Omi-Cron® Refinishing Products are the real deal. Created and manufactured in England using advanced technology, Omi-Cron offers proven consistency and high performance with clears that deliver amazing gloss direct from the gun and binders and tinters that save you money.

OMI-CRON® EUROPEAN FINISHES

PPG® PRODUCT COMPARISONS

Omi-Cron Part #	PPG® Part #	Product Description	Can Size
3000-1C	DBX1689	DBX1689 Basecoat Converter	1 US Gallon
3001-1C	DBX695	DBX695 Balancing Clear	1 US Gallon
3003-1C	DMD1683	DMD1683 Basecoat Black Tint	1 US Gallon
3045-1C	DMD1684	DMD1684 Basecoat White Tint	1 US Gallon

DUPONT® PRODUCT COMPARISONS

Omi-Cron Part #	DuPont® Part #	Product Description	Can Size
3004-1C	150K™	150K™ Basecoat Balancer	1 US Gallon
3005-1C	175K™	175K™ Basecoat Binder	1 US Gallon
3041-1C	801J™	801J™ White (HS) Tint	1 US Gallon
3042-1C	806J™	806J™ Black (HS) Tint	1 US Gallon

BASF R-M® PRODUCT COMPARISONS

Omi-Cron Part #	RM® Part #	Product Description	Can Size
3006-1C	BC100	BC100 Clear	1 US Gallon
3007-1C	BC101	BC101 Flop Control	1 US Gallon

Trademark Acknowledgement

PPG® is a registered trademark of PPG Industries, Ohio, Inc.
 DuPont® is a registered trademark of I.E. DuPont de Nemours and Company.
 R-M® is a registered trademark of BASF Corporation.

Disclaimer: Omi-Cron products are not manufactured, endorsed or guaranteed by PPG, DuPont or R-M. Omi-Cron does not claim, whether expressed or implied, product equivalency. Omi-Cron does not represent products as exact copies. Information supplied for comparison only.

TRUCK BED LINERS

DEFENDER® EPOXY TRUCK BED LINER



- Durable. Tough. Maximum protection. The only epoxy truck bed liner with Kevlar®.
- Versatile; spray on or roll on application. (Use premium 142-2 applicator gun.)
- Epoxy 2K formula offers bare metal adhesion and more scratch and chip resistance than the competition.
- Textured coating with excellent UV resistance to reduce chalking and fading. Paintable. Mix Ratio 1:1.

Product Code	Size/Description	Units/Case	Wt/Case
1600-2	1 Gallon (RTS) Kit	1	12 lbs.
1600-3	Defender TBL 4 in. Rollers	12	1 lb.

TBL® URETHANE TRUCK BED LINER



- Premium 2K urethane truck bed liner that provides a durable, chemical resistant, textured coating to help protect truck beds from chips, scratches and damage.
- High build; only one coat needed.
- Easy 3:1 mix. Spray on or roll on application.

Product Code	Size/Description	Units/Case	Wt/Case
1435-12	½ Pint Activator for 1440-4	12	9 lbs.
1440-4	Quart / Black	6	14 lbs.
1440-2	1 Gallon (RTS) Kit / Black	1	12 lbs.
1445-2	1 Gallon (RTS) Kit / Dark Gray	1	13 lbs.
1450-2	1 Gallon (RTS) Kit / White	1	13 lbs.

MORTON®
Paint Company

Kevlar® is a registered trademark of E.I. du Pont de Nemours and Company.

TRUCK BED LINER

Hard textured and hard working. Increase sales with our easy-to-apply USC truck bed liners. USC truck bed liners are the ultimate choice in strength and durability, offering a rugged texture and excellent resistance to damaging chemicals and UV rays.

TRUCK BED LINER ACCESSORIES



PREMIUM TBL APPLICATOR GUN

- Durable, all metal, high quality applicator gun recommended for application of Defender Epoxy Truck Bed Liner.

Product Code	Size/Description	Units/Case	Wt/Case
142-2	--	1	3 lbs.



TRUCK BED LINER APPLICATOR GUN

- Metal Shutz-style applicator gun recommended for applying Morton Urethane Truck Bed Liners.

Product Code	Size/Description	Units/Case	Wt/Case
140-2	--	1	2 lbs.



ROCKER PANEL AND TRUCK BED GUARD

- Black acrylic coating formulated to match OEM texture on lower panels of late model cars and trucks.
- Durable; abrasion and chip resistant.
- Ideal for use inside truck beds.
- National Rule Compliant.

Product Code	Size/Description	Units/Case	Wt/Case
1420-4	Quart / Satin Black	6	13 lbs.
1420-13	Aerosol / Satin Black	6	7 lbs.



U.S. Chemical & Plastics Global Headquarters
600 Nova Drive S.E.
Massillon, Ohio 44646
U.S.A

 www.USChem.com

TF: 1.800.321.0672
P: 1.330.830.6000
F: 1.330.830.6005
www.USChem.com